



1 **EC TYPE-EXAMINATION CERTIFICATE**

2 Component intended for use in Potentially Explosive Atmospheres Directive 94/9/EC

3 Certificate Number: **Sira 10ATEX3229U** Issue: **0**

4 Component: **Types DG & DN Earthlead Adaptors and Reducers**

5 Applicant: **Raxton Limited**

6 Address: **Kingsway South
Westgate
Aldridge
WS9 8FS
UK**

7 This component and any acceptable variation thereto are specified in the schedule to this certificate and the documents therein referred to.

8 Sira Certification Service, notified body number 0518 in accordance with Article 9 of Directive 94/9/EC of 23 March 1994, certifies that this component has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of a component intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in the confidential reports listed in Section 14.2.

9 Compliance with the Essential Health and Safety Requirements, with the exception of those listed in the schedule to this certificate, has been assured by compliance with the following documents:

EN 60079-0:2009

EN 60079-7:2007

IEC 60079-31:2008

10 The sign 'U' is placed after the certificate number to indicate that the product assessed is a component and may be subject to further assessment when incorporated into equipment. Any special conditions for safe use are listed in the schedule to this certificate.

11 This EC type-examination certificate relates only to the design and construction of the specified component. If applicable, further requirements of this Directive apply to the manufacture and supply of this component.

12 The marking of the component shall include the following:



I M2
Ex e I Mb

Or



II G D
Ex e IIC Gb
Ex IIIC tb Db

Project Number 22461
C. Index 07

D R Stubbings BA MIET
Certification Manager

This certificate and its schedules may only be reproduced in its entirety and without change.



SCHEDULE

EC TYPE-EXAMINATION CERTIFICATE

Sira 10ATEX3229U
Issue 0

13 DESCRIPTION OF COMPONENT

The Types DG and DN Earthlead Adaptors and Reducers each comprise a hollow, brass, hexagonal body with a male thread at one end and a female thread at the other. The entry thread forms are between M16 and M75. Thread combinations are such that a maximum of one 'standard' size difference is maintained.

The components are designed to provide a connection from a cable gland or termination to earth via an earth lead cable riveted and soldered to the body. Additionally, they may be used to convert an existing cable entry aperture to a different thread form and/or size.

Entry thread options:

- Metric to BS 3643:1981
- ET Conduit to BS 31:1940
- PG to DIN 40430:1971
- BSPP to BS 2779:1985
- BSPT to BS 21:1985
- NPT to ANSI/ASME B1.20.1-1983

14 DESCRIPTIVE DOCUMENTS

14.1 Drawings

Refer to Certificate Annexe.

14.2 Associated Sira Reports and Certificate History

Issue	Date	Report number	Comment
0	22 October 2010	R22461A/00	The release of the prime certificate.

15 SPECIAL CONDITIONS FOR SAFE USE

None

16 ESSENTIAL HEALTH AND SAFETY REQUIREMENTS OF ANNEX II (EHSRs)

The relevant EHSRs that are not addressed by the standards listed in this certificate have been identified and individually assessed in the reports listed in Section 14.2.

17 CONDITIONS OF CERTIFICATION

17.1 The use of this certificate is subject to the Regulations Applicable to Holders of Sira Certificates.

17.2 Holders of EC type-examination certificates are required to comply with the production control requirements defined in Article 8 of directive 94/9/EC.

Certificate Annexe

Certificate Number: Sira 10ATEX3229U
Component: Types DG & DN Earthlead Adaptors and Reducers
Applicant: Raxton Limited



Issue 0

Drawing No.	Sheets	Rev.	Date (Sira stamp)	Title
833 A	1 of 1	-	11 Oct 10	Types DG and DN Earthlead Adaptors and Reducers

This certificate and its schedules may only be reproduced in its entirety and without change.